



T0635H-6H 6A TRIAC

Rev.A.1.1

DESCRIPTION:

The T0635H-6H triac is suitable for general purpose AC switching. It can be used as an ON/OFF function in applications such as heating r 2


]

Peak pulse voltage (Tj=25 ; non-repetitive,off-state;FIG.7)	Vpp	3	kV
--	-----	---	----

ELECTRICAL CHARACTERISTICS (Tj=25 unless otherwise specified)

(À Š


ORDERING INFORMATION



ORDERING INFORMATION

Order code	Voltage V _{DRM} /V _{RRM} (V)	IGT(mA)	Package	Base qty. (pcs)	Delivery -
------------	---	---------	---------	--------------------	---------------

PACKAGE MECHANICAL DATA



Ref.	Dimensions					
	Millimeters			Inches		
	Min.	Typ.	Max.	Min.	Typ.	Max.
A	2.20		2.40	0.086		0.095
A2	1.00		1.30	0.039		0.051
B	0.50		0.70	0.020		0.028
B2	5.10		5.40	0.200		0.213
B3						
C						
C2						
D						
E						
E1	0.60		1.00	0.024		0.039
G						
H	16.00		17.00	0.630		0.669
H1	1.45		1.85	0.057		0.073
L1						

Information furnished in this document is believed to be accurate and reliable. However,
Jiangsu JieJie Microelectronics Co., Ltd.