



JST04F-800BW 4A TRIAC


Rev.A.1.1

DESCRIPTION:

7KH -67) %: WMLWDEOVIRU JHQHUDO SXUSR VH
 \$& VZLWFKLQJ ,W FDQ EH XVHG DV DQ 21 2)) IXQFWLRQ
 LQ DSSOLFDWLRQV VXFHODWLRQWILQGXFWRQ PRWRU
 VWDUWLQJ FLUFHQWVURRUSKUDWLRQ LQ OLJKW
 GLPPHUV PRWRU VSHHG FRQWUROOHUV -67) %:
 VQXEEHUOHVV WOODFHLFRPVSIOFLHG IRU XVH RQ
 LQGXFWLYH ORDGVW%UXVQCSJODQWLF SDFNDJH
 -67) %: SURYLGHV D UDWHG LQVXODWLRQ YROWDJH RI
 9506 FRPSO\LQJ ZLWK 8/ VWDQGDUGV)LOH UHI (

JST04F-800BW

ORDERING INFORMATION



MARKING







FIG.1: 0D[LPXP SRZHU GLVVLSDWLRQ
RQ VWDWH FXUHQW

FIG.2: 5X6 RQ6 VWDWH FXUHQW YH
WHPHUDWXUH

PACKAGE MECHANICAL DATA





,QIRUPDWLRQ IXUQXFKHQW ILQ WKOLHGYMFB DQGEUHDQFLDXEUDH +
-LDQJ VX -LH-LH 0L&URRHOWHGF WDJRQXLFHVV OLRV UHRUS RQKVL ERQVH
RI XVH ZLWKRXW FRQVLGHUDWLRQ IRG LWFKQLQ URPDWLRQR Q
LQ WKLV GRFXPHQW LV VXEMHFW WR FKDDQJZKHLQ KQXDJQR
VLJQH G -LDQJVSOLHVLZILFKPKH DJUHHPHQW
3URGXFVV DQG LQIRUPDWLRQ SURYLGHG JHQHWLVRGSDXV
-LDQJ VX -LH-LH DVVXPEVOQW\UIHRUSDQV TÀQ IUSÀÀ@PHZQVÀ Æ p