



S V A R

R A 1

DESCRIPTION:

面 3 V 6 6 6
0 0
6
6
6
6
0 -2 6 .

MAIN FEATURES


ABSOLUTE MAXIMUM RATINGS

面	面	面	面
面	T_g	-0 0	
面 面	T_j	-0 2	
面 -0 6 6)	V_R	60	V
面 6 6)	V_R	60	V
面 -0 c 00)	I_R		


ELECTRICAL CHARACTERISTICS


Symbol	Condition	Unit	Min	Max	Unit
I_G	$V_D = 13V$	-	-	0	mA
				2	
V_G		A	-	13	V
V_D	$V_D = 13V, T_J = 25^\circ C, R_L = 3k\Omega$	AL	M	0	V
I_L	$I_G = 2I_G$	-	-	5	mA
				0	
I_H	$I_T = 5mA$				


ORDERING INFORMATION



MARKING




[illegible]



8

ā ā M

DELIVERY MODE



—

R	B					
	M			b		
	M	P	M	M	P	Ma
W	-		0	-		0
E	5	3 8		0 0 0		
F	5	0 5		0 0 0		
D		5 0			0 0	
D		-	-			
P	0	0 0		0	0 0	
P	0	0 0		0	0 0	
P	0	0 0		0	0 0	
P	0	0 0		0	0 0	
A	0	0 0		0	0 0	
B	0	0 0		0	0 0	
C	0	0 0		0	0 0	
T	0	0 0		0	0 0	

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

tl . kn

lv gn b fn b e o b p d kn
p
cd
0 5
g