

JST20C-1200BW 20A TRIAC

Rev.A.1.1

DESCRIPTION:


The JST20C-1200BW triac is suitable for general purpose AC

switching. It can be used as a Bottom a(l) 6a7 (al) O(an N (.)/(an O(an F)5n F)5n 8 (or)6.an unc l) (an

ORDERING INFORMATION

<u>J</u>	<u>ST</u>	<u>20</u>	<u>C</u>	<u>-1200</u>	<u>BW</u>
JieJie Microelectronics Co., Ltd.	Triacs	$I_T(RMS):20A$			
			C:TO-220C		
					BW:IGT1-3 050 mA
					1200:V _{DRM} /V _{RRM} 11200 V

MARKINGJ S T 2 0 C



JST20C-1200BW

FIG.7 ÖTest circuit for inductive and resistive loads to IEC-61000-4-5 standards



ORDERING INFORMATION

Order code	Voltage $V_{\text{DRM}}/V_{\text{RRM}}$ (V)	IGT(mA)	Package	Base qty. (pcs)	Delivery mode
		H- I- J			
JST20C-1200BW	1200	50	TO-220C	50	Tube

Document Revision History

Date	Revision	Changes
Apr.12, 2023	A.1.0	Last u

PACKAGE MECHANICAL DATA

